






Osaw Agro Industries Pvt. Ltd.

P.O. Bag 5, Agrosaw Complex, Jagadhri Road, Ambala Cantt.-133 001 India Phones: (+91) 171 2699354, 2699167, 2699547 Fax: (+91) 171 2699018 E-mails: agrosaw@agrosaw.com, agrosaw@rediffmail.com Web: www.agrosaw.com



ISO 9001 : 2008 SO 14001 : 2004 OHSAS 18001 : 2007 IS 18001 : 2007 SA 8000 : 2008 World class solutions in Cleaning, Grading, Sorting & Handling of all kinds of Fruits & Vegetables





www.agrosaw.com

www.agrosaw.com

Transforming Knowledge &
Technology
into useful Products & Services for the
Post Harvest Industry



Established in 1984

Provides world class solutions in Cleaning, Grading, Sorting & Handling of all kinds of Seeds, Grains, Pulses, Spices, Oil Seeds, Fruits & Vegetables

Specializes in Designing, Manufacturing, Installing and Commissioning a complete range of Machines / Plants on Turnkey basis

Provides excellent After Sales Service and readily available Spare Parts

Provides Automation options for individual machines / complete plants

Exports to over 60 countries

INTERNATIONAL COLLABORATIONS

NEW ZEALAND - Fruits & Vegetable cleaning, grading & sorting machines (mechanical)

Tecnofruta SPAIN - Electronic lines for Fruits & Vegetables cleaning, grading, sorting & packing

Damas DENMARK - Seed & grain cleaning & grading machines

NoroGard SWEDEN - Seed treatment & coating machines

POLAND - Grain storage silos & dryers

INTERNATIONAL REPRESENTATION

KONGSKILDE DENMARK - Suction blowers & aspirators

Washing-Sponging-Waxing Section



Capacities offered: I TPH to 10TPH

- *Used for washing, sponging and waxing of fruits & vegetables
- * Fitted with nylon bristle rollers for washing purpose
- Products are let onto the bristle rollers from the sorting conveyor
- *Water sprinkler arrangement is provided on top of moving products
- Tracer springer arrangement is provided on top of moving products
- A number of fine pressurized water jets wash the tumbling and rolling products
- *The bristle rollers gently rub the surface of the products and clean them properly
- *These products then pass through sponging rollers made of high absorbent sponge
- * After sponging, Liquid Edible Wax is sprayed on the products
- Horse Hair Rollers in the machine polish the product after application of wax
- · All contact parts are fabricated from food grade material / stainless steel

Size Grader



Capacities offered : I TPH to 10 TPH Number of grades : upto 8

- Belt-roller type grader used for fruit & vegetable grading on the basis of diameter
- * Product moves continuously on the belt in a single layer
- * Series of nylon rollers hang on top of the belt & rotate on their own axis
- * Diameters of the nylon rollers differ from each other so as to create a gap between the moving belt and rotating rollers
- The gap between the belt and roller grades the product
- Rollers and other contact parts are fabricated from food grade material & structure is made up of mild steel

DRYING SECTION



Capacities offered : I TPH to 10 TPH

- · Used for surface drying of products after application of wax
- Temperature range 30° 50° C
- * Electrical heaters with thermostatic control
- Rollers are made up of PVC or aluminum
- Contact parts made of S.S. & structure of mild steel

Screen Sizer



Capacities offered: 5 TPH to 20 TPH

Number of grades: as per requirement

- * Used for grading of potato, onion & garlic
- Sizer is fitted with vibrating rubber screens having perforations on its surface
- Perforations on the rubber screens may differ according to the product
- · Shakers assembly is fitted to the vibrating screen
- Greater grading efficiency
- Required number of modules can be attached together to form a complete line
- Machine is fabricated in modular type; each module grades the product as oversize or undersize
- Contact parts are fabricated from food grade material & structure made up of mild steel

LENGTH GRADER




- * Used for grading products on the basis of their length
- * Used to grade products like carrot, raddish, cucumber; ladies finger & similar products
- A corrugated bed (S.S. 304) is fitted in the machine
- Bed is vibrated with the help of two vibro-motors fitted on top of the machine
- * Bed is divided into three parts and there are gaps between the parts
- The gap grades products according to their length & grading size can be varied easily

Capacities offered upto 2TPH (depending on product)

Number of grades: 2+1

RF-16 (ROUND FRUIT GRADER)



Capacities offered : I TPH No. of Grades : 6 (+1)

- *The grading machine consists of a rotating rubber coated disk and a series of measuring bars
- The fruits is graded according to its diameter while rotating on the rubber disk and passing through the measuring bars
- Rubber padded collection tables are provided on the periphery of the rotating disk for collection of the graded fruits
- Six different sizes and one over size can be achieved from the machine
- The machine comes with standard accessories

LIFT ROLLER SIZER



Capacities offered : 5 TPH, 10 TPH, 15 TPH Number of grades : upto 4

- Used for accurate Diametric Sorting of a number of products like potato, onion, garlic, carrot, beetroot, capsicum, brinjal, lemon, amla and other similar products
- Grading size can be easily adjusted with the help of ergonomically designed handles fitted on the machine at each outlet
- Contact parts are made of food grade material & structure of mild steel

EXPANDABLE ROLLER SIZER: Available for higher capacities

Polisher



Capacities offered: 5TPH

- * Used for extensive washing of carrots, beet roots, potatoes and other similar root vegetables
- It is a "C" shaped metal trough, with a series of nylon brushes fitted on the periphery
- Rotating brushes and the application of water spray on the brushes help in washing and polishing
- The machine is fitted with proper water circulation system
- * Brushes are made of nylon & structure is made of mild steel

Weigher and Bagger



Capacities offered upto 8TPH


- Used for packaging of potato, onion, beet root, garlic and other similar products
- It has a four head rotary bagger, designed for holding bags or cartons
- · Adjustable buckets are fitted to match a wide range of bags or cartons
- Bucket clamps are air operated
- Feed hopper is height adjustable
- It has gentle cleated belts
- Three stage filling for speed and accuracy
- Rotating multi line display
- Non-volatile bagging recipe memory stores up to 10 recipes
- * Production statistics number of bags, average bag weight, total weight packed out

POTATO DIGGER



- · Used for digging of potatoes
- Consists of two variable depth coulter disks
- Digging web has a width of 1340 mm
- Two belts 25mm pitch web with 12mm diameter bars
- Rubber cushioned bars
- Close pitch web with sealed edges
- Two variable frequency shakers to separate dirt from the tubers
- · Synchronized overhead rubber lift assisting flaps
- Pneumatic rear castoring wheels
- For dry conditions a powered square bar in lieu of digging shear
- * Three point linkage

DRY BRUSHER



Capacities offered upto 15 TPH

- Used for removing the soil or dust particles from the surface of the product
- It is fitted with soft nylon bristle rollers
- A hopper is fitted under the bed of bristle rollers to collect the loose soil or dirt

Mobile Grading Plant



Capacities offered upto 10TPH

- * Used for sorting-grading of various vegetables
- Consists of
- I. Elevator with hopper
- 2. Roller Inspection table
- 3. Lift Roller sizer
- Power Genset is mounted on the trolly
- Easy travelling from one location to another

FEEDING CUM SORTING CONVEYOR



- Used for feeding and sorting of fruits & vegetables
- Rollers made up of PVC/Aluminum
- Contact parts made up of stainless steel & other food grade material

ELEVATOR WITH HOPPER



Capacities offered: ITPH to IOTPH

- Product is dumped manually onto the hopper
- The belt elevates the product to the required height
- Belt is made of food grade/PVC material with cleats

Cleaning, Grading, Sorting & Handling Turnkey Plants

