

[www.agrosaw.com](http://www.agrosaw.com)

WORLD'S WIDEST RANGE OF  
**POST-HARVEST SOLUTIONS** IN  
CLEANING, GRADING, SORTING  
TREATMENT, HANDLING & STORAGE



 **AGROSAW**  
PERFECTING POST HARVEST



Provides world class solutions in Cleaning, Grading, Sorting & Handling of all kinds of Seeds, Grains, Pulses, Spices, Oil Seeds, Fruits & Vegetables



Specializes in Designing, Manufacturing, Installing & Commissioning of complete range of Machines/Plants on Turnkey basis



Provides excellent After Sales Service and readily available Spare Parts



Provides Automation options for individual machines/complete plants



Exports to over 92 countries

'84

Established in 1984; is a manufacturer, supplier & exporter







“Transforming Knowledge and Technology  
into useful Products and Services  
for the Post-Harvest Industry.”

**SANJEEV SAGAR**  
MANAGING DIRECTOR

International Representations



DENMARK  
Suction Blowers and Aspirators  
for Seeds and Grains

## SEED PRE-CLEANERS/GRAIN CLEANERS



PC - 2 (NB)

MODEL	CAPACITY	POWER (HP)
PC - 2 (NB)	2 TPH	5



PC3 - II

MODEL	CAPACITY	POWER (HP)
PC3-II	4.5 TPH	3+1=4



PC - 5 (NB)

MODEL	CAPACITY	POWER (HP)
PC - 5 (NB)	6.5 TPH	4+1.5=5.5



PC - 7

MODEL	CAPACITY	POWER (HP)
PC - 7 W	9 TPH	4+1.5+0.5=6




MAXIMO - 15

MODEL	CAPACITY	POWER
MAXIMO-15	15	5+1+0.5+0.5=7



MAXIMO - 25

MODEL	CAPACITY	POWER (HP)
MAXIMO-25	30 TPH	7.5+1.5+1=10 HP



MAXIMO - 50

MODEL	CAPACITY	POWER (HP)
MAXIMO-50	60 TPH	10+3+1=14 HP



CLASSIC - II

MODEL	CAPACITY	POWER
Classic-II	2TPH	1+0.5=1.5

Post-Harvest Solutions in Cleaning, Grading and Handling of all kinds of Seeds, Grains, Spices, Pulses and Oil Seeds | Due to constant process



## FINE CLEANERS



ULTRA

MODEL	CAPACITY	POWER (HP)
Ultra	150 Kg/hr	1+0.25=1.25



JUNIOR III

MODEL	CAPACITY	POWER (HP)
Junior III	600 Kg/hr	1



UC - 1

MODEL	CAPACITY	POWER (HP)
UC - 1	1 TPH	1



DELUX II

MODEL	CAPACITY	POWER (HP)
Delux - II	1.25 TPH	4



ZEN II

MODEL	CAPACITY	POWER (HP)
Zen II	3 TPH	5



UC2 - II

MODEL	CAPACITY	POWER (HP)
UC2 - II	2.5 TPH	3+1=4



ALFA

MODEL	CAPACITY	POWER (HP)
Alfa-3PF	3 TPH	7
Alfa-4PF	4 TPH	9.5
Alfa-6GF	6 TPH	7

of research & development, all designs and specifications are subject to change without prior notice. Capacities mentioned are based on wheat.



## FINE CLEANERS




AVTAR FR

MODEL	CAPACITY	POWER (HP)
AVTAR-4L-FR	6 - 8	7.5+2+0.5=10
AVTAR-4L/2-FR	8 - 10	7.5+2+0.5=10
AVTAR-3L-FR	5 - 6	5+1.5+0.5=7
AVTAR-3L/2-FR	6 - 7	5+1.5+0.5=7




AVTAR PF

MODEL	CAPACITY	POWER (HP)
AVTAR-4L-PF	6	7.5+2+0.5=10
AVTAR-4L/2-PF	8	10+2+0.5=12.5
AVTAR-3L-PF	4	5+1.5+0.5=7
AVTAR-3L/2-PF	4	5+1.5+0.5=7




AVTAR SF

MODEL	CAPACITY	POWER (HP)
AVTAR-4L-SF	6 - 8	7.5+2+1=10.5
AVTAR-4L/2-SF	8 - 10	7.5+2+1=10.5
AVTAR-3L-SF	5 - 6	5+1.5+1=7.5
AVTAR-3L/2-SF	6 - 7	5+1.5+1=7.5



AVTAR SC

MODEL	CAPACITY	POWER (HP)
AVTAR-4L-SCALPERATOR	6 - 8	7.5+2+0.5=10
AVTAR-4L/2-SCALPERATOR	8 - 10	7.5+2+0.5=10
VTAR-3L-SCALPERATOR	5 - 6	5+1.5+0.5=7
AVTAR-3L/2-SCALPERATOR	6 - 7	5+1.5+0.5=7



SUPER

MODEL	CAPACITY	POWER (HP)
Super	8-10 Bags/Hr (Based on Coriander)	5



SEED MASTER II

MODEL	CAPACITY	POWER (HP)
SM II PF	2 TPH	5+1+0.5=6.5
SM II 3 GF	3 TPH	4+1+0.5=5.5



CLASSIC - II

MODEL	CAPACITY	POWER (HP)
Classic - II	1 TPH	1+0.5=1.5



UC - 4

MODEL	CAPACITY	POWER (HP)
UC-4	4 TPH	4+1.5+0.5=6




SG - 3 - II

MODEL	CAPACITY	POWER (HP)
SG - 3 - II	5.5 TPH	7.5+2=9.5




## FINE CLEANERS




AGROSAW - YUVA-4L

MODEL	CAPACITY	POWER (HP)
YUVA-4L	5 - 5.5 TPH	5+1+0.5+0.5=7
YUVA-4L/2	6 TPH	5+1+0.5+0.5=7



AGROSAW - YUVA

MODEL	CAPACITY	POWER (HP)
YUVA-3L	4 - 5 TPH	5+1+0.5+0.5=7



AGROSAW AGORSAW YUVA-12

MODEL	CAPACITY	TOTAL POWER
YUVA-12	12 TPH	7.5+1.5+0.5+0.5 = 10



BELT GRADER


MODEL	CAPACITY	POWER
BGV-	500Kg/hr	0.5 HP

## SEED GRADER



VIBAM 1026

MODEL	CAPACITY	POWER
1026	10 TPH	7 HP



VIBAM 1013

MODEL	CAPACITY	TOTAL POWER
1013	5 TPH	5 HP



MAXIMO - 25

MODEL	CAPACITY	POWER
MAXIMO-25	30 TPH	7.5+1.5+1= 10 HP



MAXIMO - 50

MODEL	CAPACITY	TOTAL POWER
MAXIMO-50	60 TPH	10+3+1=14 HP

## FINE CLEANERS



## GRAVITY SEPARATORS



GT

MODEL	CAPACITY	POWER (HP)
GT	100 Kg/Hr	1+0.25=1.25



G1/G2/G4/G6

MODEL	CAPACITY	POWER (HP)
G - 1	0.7-1 TPH	3
G - 2	1.5-2 TPH	4+1=5
G - 4	3.5-4 TPH	7.5+1.5 = 9
G - 6	5-6 TPH	10+2=12




G4/G6 MAX MODEL

MODEL	CAPACITY	POWER (HP)
G6 (MAX)	5-6 TPH	FAN 10 DECK 2 JOG-CONVEYER 0.5 HP



AGROSAB  
GRAVITY SEPARATOR


MODEL	CAPACITY	POWER (HP)
ADGS-31	8-10 TPH	15+1.5=16.5



G - 7 PRIME

MODEL	CAPACITY	POWER
G-7	7 Tpn	10+2=12
G-5	5TPn	7.5+1.5=9
G-3	3TPn	4+1 =5
G-2	2TPn	3+1=4

## INDENTED CYLINDERS



IC-V

MODEL	CAPACITY	POWER (HP)
IC - V	100 Kg/hr	0.5



IC-1 LS to IC-5 LS

MODEL	CAPACITY	POWER (HP)
IC - 1 LS	1 TPH	1x2
IC - 2 LS	2 TPH	2x2
IC - 3 LS	3 TPH	2x2
IC - 4 LS	4 TPH	3x2
IC - 5 LS	5 TPH	3x2



IC-1 to IC-10

MODEL	CAPACITY	POWER (HP)
IC - 1	1 TPH	1
IC - 2	2 TPH	2
IC - 3	3 TPH	2
IC - 4	4 TPH	3
IC - 5	5 TPH	3
IC - 6	6 TPH	3
IC - 10	10 TPH	5




## DE-STONERS



### NEGATIVE PRESSURE TYPE


MODEL	CAPACITY	POWER (HP)
D6 - NE	3-6 TPH	7.5+0.5=8
D8 - NE	7-8 TPH	10+0.5x2=11
D12 - NE	9-12 TPH	12.5+0.5x2=13.5
D15 - NE	13-15 TPH	15+0.5x2=16



### POSITIVE PRESSURE TYPE

MODEL	CAPACITY	POWER (HP)
D2-PRIME	2 TPH	3+0.5

## VIBRO CLEANER



### VIBRO CLEANER

MODEL	CAPACITY	POWER (HP)
VC 6	6 TPH	7.5
VC 8	8 TPH	7.5


## MAGNETIC SEPARATOR



### MAGNETIC ROLL SEPARATOR

MODEL	CAPACITY	POWER (HP)
MRS-2	2 TPH	1+ 0.25
MRS-4	4 TPH	1+ 0.25
MRS-6	6 TPH	1+ 0.25
MRS-8	8 TPH	1+ 0.25

## DE-BRUSHERS



### DE-BRUSHERS

MODEL	CAPACITY	POWER
DB-1	1TPn	2 HP
DB-3	3TPn	5 HP
DB-5	5TPn	7.5 HP

## PENUMATIC CONVEYING OF GRAIN



**K KONGSKILDE**  
DENMARK

Available in various models  
Capacity from 5 TPH to 120 TPH

## KONGSKILDE ASPIRATOR PRE CLEANER



**K KONGSKILDE**  
DENMARK

### KF

MODEL	CAPACITY	POWER (HP)
KF 12	12 TPH	1 HP
KF 20	20 TPH	2 HP
KF 40	40 TPH	7.5 HP
KF 60	60 TPH	10 HP

## DUST ASPIRATOR MODEL CYCLOVENT



### DUST ASPIRATOR MODEL CYCLOVENT

AIR VOLUME	POWER
30000 CMH	30HP



AGROSAW SEED TREATMENT & COATING MACHINES



BATCH COATING MACHINE

MODEL	CAPACITY	POWER (HP)
R - 534	3 TPH	4+0.5+ 0.25=4.75
R - 800	12 TPH	16



CONTINUOUS SEED  
TREATMENT MACHINES

MODEL	CAPACITY	POWER (HP)
R - 3	3 TPH	1+ 0.5+ 0.5=2
R - 7	7 TPH	1+0.5+0.5=2
R - 15	15 TPH	4+1+0.5=5.5

SINGLE SCREEN  
ROTARY DRUMCLEAME



RDC 650

MODEL	CAPACITY	POWER
RDC 650	50TPH	1 HP

ROTARY DRUM CLEANERS



RDC SERIES

MODEL	CAPACITY	POWER (HP)
RDC - 25	25 TPH	2+3+0.5=5.5
RDC - 50	50 TPH	3+5+1=9
RDC - 75	75 TPH	4+7.5+1.5=13
RDC - 100	100 TPH	5+10+2=17



## BATCH SEED DRYERS



RECIRCULATING COLUMN DRYER

MODEL	CAPACITY	POWER (HP)
BCD-1	1 TPB	2
BCD-2	2 TPB	3
BCD-4	4 TPB	5
BCD-5	5 TPB	7.5
BCD-6	6 TPB	7.5
BCD-8	8 TPB	7.5



COFFEE DRYER

MODEL	CAPACITY	POWER (HP)
BD-Coffee1	1 TPB	5
BD-Coffee2	2 TPB	7.5



MULTI TRAY DRYER

MODEL	CAPACITY	POWER (HP)
BDM	1 TPB	3
BD-V	100 Kg/B	1



TRAY TYPE DRYER

MODEL	CAPACITY	POWER (HP)
BD - 1	1 TPB	2
BD - 2	2 TPB	3
BD - 4	4 TPB	5
BD - 6	6 TPB	7.5

### WITH VARIOUS COMBINATIONS



Capacity ranges from 1 TPH to 5 TPH

### VEGETABLE SEED EXTRACTION MACHINES



Capacity depends upon Vegetable & Fruit

### ROUND SILOS



Round Silos 15 tons to 50 tons  
Square Silos 1 tons to 15 tons

### CONTINUOUS SURFACE DRYER



CONTINUOUS SURFACE DRYER

MODEL	CAPACITY	POWER (HP)
Model SD-II	3 TPH	10+3+7.5 = 20.5 HP



## SUPPORT EQUIPMENT



BUCKET ELEVATORS

Available in Various Capacities



Z ELEVATORS

Available in Various Capacities




INCLINED BELT CONVEYORS

Available in Various Capacities



BELT CONVEYORS

Available in Various Capacities



SCREW CONVEYORS

Available in Various Capacities



CHAIN CONVEYORS

Available in Various Capacities



## SUPPORT EQUIPMENT



DUMP HOPPERS

Available in Various Capacities



SURGE/HOLDING/BAGGING BINS

Available in Various Capacities



MIMIC TYPE PANEL

Available in Various Configurations



AUTO SLIDE GATES

Available in Various Capacities



WEIGHING & BAGGING UNIT

Available in Various Capacities



BAG STACKERS

Available in Various Capacities



## PLANTS



Seed Processing Plant: Capacity 8 TPH with Central Dust Aspiration System. Installed on raised platform

Agrosaws' strength lies in the integrating individual machines and build fully automated plants as per customer requirements | Due to constant process

Complete 3D model of plant to be implemented

[illegible]

1. Mini Rice Mills
2. Rice Mills
3. Mini Dal Mills
4. Dal Mills
5. Maize Cob Drying (from AEC, USA)
6. High Capacity Maize Sheller (from AEC, USA)
7. Millets

of research & development, all designs and specifications are subject to change without prior notice. Capacities mentioned are based on wheat.

PAGE - 1

Manufacturer | Supplier | Exporter  
The one stop for all your post harvest needs



## OSAW AGRO INDUSTRIES PVT. LTD.

📍 P.O. Bag 5, Agrosaw Complex, Jagadhri Road, Ambala Cantt., Haryana - 133001 India

☎ (+91) 171 2699354, 2699547, 2699167

🖨 (+91) 171 2699018

✉ agrosaw@agrosaw.com

🌐 [www.agrosaw.com](http://www.agrosaw.com)

📘 /agrosaw

🐦 /agrosaw

🌐 /agrosaw

📺 /agrosaw



ISO 9001 : 2008  
ISO 14001 : 2004  
OHSAS / IS 18001 : 2007  
SA 8000: 2008

CE